
Construction Supplies

**					
Product No.		Description		Price	
Vermiculite-Premium South African Grade with Easy Trowel Additives - Pickup C & C Prices only					
PX55	A-Tops Pre-mix- 2 Cubic Ft 50 Bags per skid - Regular or pump Mix 32.00 / 19.00				
PB42 limited stock	A-Tops Regular Ver	rmiculite- 4 Cubic Ft (pla	astic bag) 30 bags per skid	34.00 / 20.00	
	Delivery cost based on distance, room available and route schedule			schedule	
	Approximate Coverage Chart for In-ground Pools				
	Size	A-Tops	Regular		
	16 x 32	60	30		
	18 x 36	80	40		
	20 x 40	100	50		
			erience demonstrates that pater, mixing time, accura		
			material so mix is not unn		
Flex Piping	P			Price c/c cost	
PF50	½" PVC Flex Pipe –	100 ft. Roll		100.00 / 80.00	
PF75	34" PVC Flex Pipe -			122.00 / 98.00	
PF10	1" PVC Flex Pipe - 1			136.00 / 108.00	
PF15	1 ½" PVC Flex Pipe			92.00 / 69.00	
PF15-100			182.00 / 136.00		
PVC15	1 ½" PVC Rigid - 10' Piece 10.00				
PF20			138.00 / 104.00		
PF20-100	2" PVC Flex pipe - 1	100 ft. Roll		270.00 / 200.00	
	Sec	alants & Adhesives & N	Iisc.		
	1 ½" x 100' Black Po	oly-Pipe 100 psi NSF Rat	ed	150.00 / 100.00	
BSA	Spray Tack Glue - F			24.00	
Blue72	3-M Premium Spray Tack Glue- For foam installation		29.00		
0530318		Epoxy Putty Sticks 2-part 7oz.			
0530339		2-part Epoxy Pool Paste		12.00	
ABS-P	White ABS high bui	White ABS high build – low shrink repair paste – pint – fast dry 80.00			
BB260	Teflon Tape - 1/2" x 5			.80	
DT60P	Premium Duct Tape - Special for vinyl pools, 2" x 60 yds.		13.00		
828	Premium all Stainless Steel Clamps – fits 1½" & 2" pipe		1.40 / 1.00		
828-10 Premium all Stainless Steel Clamps – fits 1 ½" & 2" pipe (10-box price) Each – 1.20			Each - 1.20		
Wall Foam					
WF125-2	2lb. Wall Foam - 1/8	" x 42" x 125'- Standard		118.00 / 86.00	
Pool Cove					
			7.00 / 5.00		
PC4-48	Pool Cove Case- Pee	l N' Stick, 48 pieces		280.00 / 195.00	
<u> </u>					

Pool Cove Chart

	Qty.		Qty.
	Required	Pool Size	Required
15' Round	12	30' Round	25
18' Round	15	15' x 30' Oval	18
21' Round	17	16' x 32' Oval	20
24' Round	19	18' x 33' Oval	22
27' Round	22	18' x 36' Oval	24



MORTEX







90° Angle

SYSTEXBORG







Cross



Clean Out Cover





Down Spout

End Spout

Nuss Off			
Systex			
Part No.	Description	Price	
PSB	Systex Bonder- 5 gal bucket	380.00	
PST	Systex Texture- 50 lb. bags	106.00	
PSCTN	Systex Color- Tan	340.00	
PSCGY	Systex Color- Gray	340.00	
PSCAD	Systex Color- Almond	340.00	
PSCPH	Systex Color- Peach	340.00	
PSCCY	Systex Color- Clay	340.00	
Control Joints			
CJW	Control Joint - White- 396' Box	345.00	
CJRTW	Control Joint Replacement Top-White200'	150.00	
CXC96SLT	Fill-N-Flex Tan Self Leveling joint Seal	190.00	
Drain Rite below discounts 30%			
DRW	Drain Rite- White- 100' Case	570.00	
DRG	Drain Rite- Gray- 100' Case	590.00	
DRT	Drain Rite- Tan- 100' Case	590.00	

Drain Rite- Charcoal- 100' Case

90 Degree Angle- White

45 Degree Angle- White

Clean Out Cover- White

Down Spout- White Straight Spout- White

End Cap- White

End Spout- White

Cross- White

Tee-White

DRC DX90W

DX45W

DXXW

DXTW

DXCOCW

DXDS

DXSSW

DXECW

DXESW

DXRTW	Drain Rite Replacement Top- White- 80'	280.00
DXRTG	Drain Rite Replacement Top- Gray- 80'	290.00
DRW-1	Drain Rite- 10' Section Drain- Each	62.00
	Accessories below discou	ints 30%
FKLAK	Aluminum Key-Lock Keystone forms+Key	950.00
FXARC	Aluminum 112 AWM Keylock Radius Cut	770.00

FAARC	Aluminum 112 A W W Keylock Radius Cut	//0.00
FXARKS	Aluminum Keylock Radius Cut - Per Foot	8.00
FFGK	Fiberglass Forms	440.00
FKF	Plastic Keystone Forms Only	426.00
FXRCR	Plastic Keylock Radius Cut Retainer-PerFt	4.90

590.00

20.00

20.00

36.00

28.00

4.00 12.00

12.00

5.00

12.00

Safety equipment & deck Accessories





PB-2008/NEW



PE-0019-W White Cycolac PE-0019-C Chrome Cycolac



Cycolac Plastic Slide Flange PS-25 PF-25-A w/hardware



Cleat Type Hooks PH-52, PH-53



Part No.	Description	Price
Anchors:	30% DISCOUNT	
PS-4016-C	4" Brass Anchor (available also in 20" channel)	42.00
PS-4019-C	4" Aluminum Hanover Clone(Wedge #PW-4C)(for 1.9)	16.00
PC-4008-AC	8"Channel Set w/4" Aluminum Hanover Clone (for 1.9)	42.00
PC-4020-AC	20" Channel Set w/4" Alum. Hanover Clone (for 1.9")	44.00
07661	4" Glass filled PP (Plastic anchor f/salt water solutions)	17.00
HEBA	Chrome/ Brass Anchor- for vinyl/fiberglass	15.00
JH	Johnny Hinge	320.00
Pool Bond:		
PB-2008	Cast Bronze International Electrical Bond	24.00
Escutcheon:		
PE-0019-C	Chrome Plated Cycolac	7.00
PE-0019-W or G	White or Grey Cycolac	4.00
PE-0019S	Stainless Steel Round	9.00
25572-202	Split Clip-on Rail - Chrome Plated	20.00
25572-200	Split Clip-on Rail - White	14.00
Perma- Flange:		
PF-3119	Aluminum White Slide Flange	24.00
PF25	Cycolac Slide Flange	20.00
PF25-A	Cycolac Slide Flange with mounting hardware	28.00
PF2115-L	Ladder Flange for 1.5" tube	12.00
8700	White ABS Plastic Ladder Flange A/G	6.00
Perma- Hook: Chro	ome Plated Brass	
PH-51H	Loop Hook (3/4 inch) (special order only)	26.00
PH-53	Cleat Type Hook (3/4 inch)	19.00
PH-55	S Hook (Chrome Plated Brass)	5.00
Perma- Eye: Chrom	ne Plated Brass	
PI-72	Removable eye for Vinyl (not shown)	20.00
PI-70	Oval Rope Eye- coping mount (Pair)	18.00
PI-72B	Removable Eye for Vinyl Liners (QP Type) (Single)	18.00
PI-2000	Removable Eye for Vinyl Liners	22.00
PI-74S	Special Rope Eyes with Lag Shield	22.00












Salt System Corrosion Prevention



Part No.	Description	Price
	Technodes: Swimming Pool Anodes 30	% DISCOUNT
TN-LD	Ladder Anode – Sold in Pairs	44.00/pair
TN-LT	Light Anode	29.00
TN-IL20	Inline Anode – 2" <i>NEW</i> Large Heavy Duty	130.00
TN-100	Inline Replacement Zinc For TN-IL – 1 ½" & 2"	36.00
TN-SK	Utility Anode/Skimmer Weight	22.00










What is a Sacrificial Anode? A sacrificial metal anode is used to protect critical metal components in a salt system swimming pool. The sacrificial anode is connected electrically (either through direct contact or by use of a wire) to the metal to be protected. In a salt system pool, for example, a pool heater core will normally tend to corrode as a

result of being in contact with the pool water. If this heater core is connected to a properly designed sacrificial anode, the anode will tend to corrode and transfer electrons to the heater core. At the interface between the pool water and heater core these electrons will create a chemical reaction that protects the heater core. The heater core (cathode) attracts electrons produced by the corroding sacrificial anode. The electrons react at the surface of the heater core with elements in the water. This reaction protects the heater core at the expense of the sacrificial anode. This transfer of electrons from the sacrificial anode to the metal to be protected is referred to as Cathodic protection. Cathodic Protection is illustrated to the right.

Examples of Sacrificial Anodes: All water heaters utilize sacrificial anodes to protect their steel tanks from corroding. The single most important factor in whether a water heater lives or dies is the condition of its sacrificial anode. Ships have anodes installed on their hulls to protect the steel hull from corroding in sea water. Lobster traps utilize sacrificial anodes to prevent corrosion on the ocean floor. Off shore oil rigs, buried pipelines, storage tanks, steel piers, and oil wells all utilize sacrificial anodes to prevent corrosion and premature failure of their critical components.



Why use TechNodes: TechNodes are the result of research done by Scientists at the Georgia Institute of Technology. TechNodes are sacrificial anodes designed specifically to protect critical metal components in Salt System Swimming Pools. TechNode In-line is designed to protect any metal components in the pools plumbing, including pool heaters and heat exchangers. TechNode Ladder will protect pool ladders that are submerged in the swimming pool. TechNode Light will prevent corrosion of metal components on underwater lights. TechNode Utility is designed to protect any other metal components in the swimming pool. TechNodes are cast from Mil Spec Zinc, 13-4 have high surface area to volume characteristics resulting in the most efficient Pool Anodes on the market.

Safety Equipment - Continued

Aqua Sensor- Pool Alarms	
Swim Alert- MSRP \$599.00 780.0	
Espio- MSRP \$699.00	910.00



SUMMARY OF KEY FEATURES
 Exclusive Aquasensor fall detection technology
ASTM F2208-02 Certified
 Magnetic keys for poolside activation/deactivation
Strong poolside alarm- 100 db
 Strong indoor wireless remote alarm (85db) with 100' range
 Effective in pools up to 20' x 40' (1,000sft)
 Automatic rearming after bathing
All installation hardware included
Alarm Failure signals
• Low battery light
Batteries included (4 "D")
Chemical and UV-resistant materials of construction
 Two-year limited warranty
Poolside unit dimensions: 9.5" x 9" x 2.5"
• UL listed
NSF certified



Safety Turtle		
B101	Base Station- AC adapter, & user guide (Eng. & Spanish)	139.00
T101G,B,R,Y,or	Turtle Wristband- Baby turtle plug for base station, key for	
P	locking buckle, Comes in Green, Blue, Red, Yellow, or purple	69.00
P101	Turtle Power- Battery pack & waterproof carrying bag	119.00

Other Safety Equipment		
55584	Throwline-60 ft.	28.00
55553	Pool Ring-19"	36.00
55554	Pool Rings-24"	44.00
55549	USCG Approved Ring Buoys- 19" white	120.00
55550	USCG Approved Ring Buoys- 24" white	150.00





Rope Kits- 2-Hook Ropes		
RFK16	16' Rope Kit	34.00
RFK18	18' Rope Kit	41.00
RFK20	20' Rope Kit	46.00
RFK22	22' Rope Kit	50.00
RFK25	25' Rope Kit	56.00
	Twist Lock Pool Floats- 3" x 5"	5.00

Deck Jets & Fountains

Deck Jets

Designed for residential pools, but with features only found on higher priced commercial water features. Eyeball is hidden from view by decorative cap. Four different cap colors are included with each deck jet. A variety of plumbing choices makes this deck jet easier to install. Only takes 3-5 GPM for a stream of water up to 10 feet high. Made for simple installation and trouble-free operation.



Deck Jets 35% Discount

25597-000-000 Deck Jet Assembly

\$ 110.00

Features:

- Individually Packaged
- •Includes body, adjustable nozzle and four colored, round decorative caps (white, black, gray, tan)

Deck Jet and Wall Jet Specifications -

GPM	3 GPM	4 GPM	5 GPM
Feet of Head	3.9	7.9	11
Height of Water Stream	3 Ft	6.5 Ft	10 Ft





Pop-UP Deck Jets

675-0700	¾" Ribbed barb	N/A
675-0710	3/4" Smooth barb	66
675-0720	¾" Socket	66
675-0730	½" Socket	66

POP-UP WATER FEATURE

Features

- Pops up when pressurized.
- Drops down when unpressurized.
- ◆ Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle

 Solid 7/16" rod shaped water stream, projects at 45° angle


 Solid 7/16" rod shaped water stream, projects at 45° an
- Available in several body styles and colors.
- Max. flow 4.76 GPM @ 3 PSI = 48" cascade.

	Fountains	
180005	Waterfall Fountain	22.00
180006	Flower Fountain	22.00
180010	Grecian Fountain	44.00
180015	Rock Fountain	46.00
8592	Swan Floating Fountain- Triple Tier	75.00
8590	25' Fountain Transparent replacement hose	10.00



Hef-T-Pad






HEF-T-PAD™ Features:


- · Injection molded from high impact polyolefin for strength and durability.
- · Resistant to impact, UV degradation and weathering.
- · Will not crack, flake or warp.
- · Virtually impervious to climate changes.
- Drillable, permits installation of refrigerant and electrical lines under and through pad.
 Also permits equipment to be easily secured to pad.
- Unique, non-creep surface absorbs vibration and noise and keeps equipment in it's original position.
- Gray



Underside of Hef-T-Pad showing support ribs, stabilization pads and stabilization flange.

Product No.	Description	Price
X2430211	24" x 30" x 2" Hef-T-Pads	34.00
X3232211	32" x 32" x 2" Hef-T-Pads	44.00
X3030311	30" x 30" x 3" Hef-T- Pads	42.00





Pool Paints

Discount Price 35%

NATIONAL POOL FINISHES








Item No.	Product	Price
R100	Pool Shield CRX, 1 gal.	140.00
R500	Pool Shield CRX, 5 gal.	660.00
S100	Pool Shield, 1 gal.	134.00
S500	Pool Shield, 5 gal.	486.00
	Pool Shield only while supplies last	
*E200EHB	Pool Guard EHB, 2 gal. Epoxy kit	336.00
E200	Pool Guard, 2 gal. Epoxy kit	290.00
	Pool Guard only while supplies last	

*EHB= Extra Heavy Body CRX=Extra Heavy Body



Cross Reference Chart		
<u>National</u>	<u>Ramuc</u>	<u>Olympic</u>
POOL SHIELD CRX	Type A Chlorinated Rubber	Paralon 2
POOL SHIELD	Pro 2000 Chlorinated Rubber	Optilon
POOL GUARD EHB	Epoxy EP High Build	Zeron
POOL GUARD	Type EP Epoxy	Poxilon
AQUA KOTE	Type DS Acrylic	Hydrolon
DECK KOTE	Type ADC Acrylic Deck Coat	Patio Tones



The Leader in Innovative Products for the Plastic Pipe Industry







Regular Bodied, fast setting, PVC Cement for all classes and schedules with interference fit through 4" diameter (except Schedule 80). This product may also be used on PVC foam core pipe.



3 Year Shelf Life Meets ASTM D-2564





13552	740 PVC Regular Body Clear - Pint	14.00
10078	700 PVC Regular Body Clear - Gallon - While supplies Last	60.00





725 Wet 'R Dry

Medium bodied, extremely fast setting, PVC cement for all classes and schedules with interference fit through 6"diameter, Schedule 80 through 4" diameter. Specially formulated for rigid and flexible applications where conditions are wet and/or when quick pressurization is desired. Can be used without primer on non-pressure systems if local codes permit.

AQUA BLUE

3 Year Shelf Life Meets ASTM D-2564





10100 725 PVC wet "K" Dry Aqua Blue - Pint	10166	725 PVC Wet "R" Dry Aqua Blue - Pint
--	-------	--------------------------------------

747 Pool 'R Spa

Medium bodied, extremely fast setting, PVC cement for all classes and schedules with interference fit through 6"diameter, Schedule 80 through 4" diameter. Developed for rigid & flexible applications, wet conditions and/or quick pressurization. Can be used without primer on non-pressure systems if local codes permit

BLUE (fades to CLEA	R)
3 Year Shelf Life	





PURPLE/CLEAR 3 Year Shelf Life



22.00

10853	747 PVC Pool "R" Spa Blue - Pint	16.00
10851	747 PVC Pool "R" Spa Blue - Gallon – While Supples Last	65.00





PC-64 Primer-Cleaner

For Cleaning and surface preparation of PVC and CPVC pipe fittings.





Gluemate

2000	Glue-Mate	18.00
DB-1	Dauber Cap-32 oz.	0.80